# Ideal cold water cleaning for everyday tasks

The MC 2C range is destined for low intensity use and routine cleaning tasks. They offer excellent cleaning performance, professional spray equipment, good storage facilities and handling.
The MC 2C mobile units associates a high level of ergonomics with cleaning power. The MC 2C line comprises models designed for routine semi-professional use mainly by tradesmen, on small construction sites or for rentals. The mobile unit associates a high level of ergonomics with cleaning power. The compact cold water line that combines high performance level for increased cleaning efficiency, ergonomics and durability for superior everyday cleaning.

- Automatic Start/stop
- Ergo accessory concept
- Brass cylinder head for long life
- Steel reinforced High Pressure Hose (standard 10 m, XT 15 m)
- Detergent injector hose and doser
- Removable integrated detergent tank (2 l)
- Water flow regulation
- Adjustable transport handle

Picture shown may not represent model quoted

● Standard equipment

| | Included accessories | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| **High Pressure Male Coupling** | | | | | | |
| | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | ● | ● | ● |
| **High Pressure Hose, DN6** | | | | | | |
| | HOSE DN6 10M 1W FOR P-2 | 126528620 | 1 | | | |
| | HP-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL | 101406176 | 0 | ● | ● | ● |
| **Spray Gun** | | | | | | |
| | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | ● | ● | ● |
| **FlexoPower Lance** | | | | | | |
| | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | | | |
| **4-in-1 Lance** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Included accessories | | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| | 4-IN-1 LANCE INCL 0350 ALUMINUM HEAD | 106408251 | 0 | | • | |
| | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | • | | • |
| | 4-IN-1 LANCE INCL 0450 ALUMINUM HEAD | 106408255 | 0 | | | |
| **Tornado Nozzle with Indication Ring** | | | | | | |
| | NOZZLE 0350 INDICATION RING BORDEAUX | 101119736 | 1 | | | |
| | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 1 | | | |
| | NOZZLE 0640 INDICATION RING GREEN | 101119745 | 1 | | | |
| | TORNADO NOZZLE 0475 | 301150005 | 1 | | | |

● Standard equipment

| Included accessories | | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| **High Pressure Male Coupling** | | | | | | |
| | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | • | • | • |
| **High Pressure Hose, DN6** | | | | | | |
| | HOSE DN6 10M 1W FOR P-2 | 126528620 | 1 | | • | • |
| | HP-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL | 101406176 | 0 | • | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Included accessories | | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| **Spray Gun** | | | | | | |
| | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | • | • | • |
| **FlexoPower Lance** | | | | | | |
| | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | | • | • |
| **4-in-1 Lance** | | | | | | |
| | 4-IN-1 LANCE INCL 0350 ALUMINUM HEAD | 106408251 | 0 | | | |
| | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | • | | |
| | 4-IN-1 LANCE INCL 0450 ALUMINUM HEAD | 106408255 | 0 | | | |
| **Tornado Nozzle with Indication Ring** | | | | | | |
| | NOZZLE 0350 INDICATION RING BORDEAUX | 101119736 | 1 | | | |
| | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 1 | | • | |
| | NOZZLE 0640 INDICATION RING GREEN | 101119745 | 1 | | | • |
| | TORNADO NOZZLE 0475 | 301150005 | 1 | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

● Standard equipment

| Included accessories | | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| **High Pressure Male Coupling** | | | | | | |
| | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | ● | ● | ● |
| **High Pressure Hose, DN6** | | | | | | |
| | HOSE DN6 10M 1W FOR P-2 | 126528620 | 1 | ● | ● | ● |
| | HP-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL | 101406176 | 0 | | | |
| **Spray Gun** | | | | | | |
| | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | ● | ● | ● |
| **FlexoPower Lance** | | | | | | |
| | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ● | ● | |
| **4-in-1 Lance** | | | | | | |
| | 4-IN-1 LANCE INCL 0350 ALUMINUM HEAD | 106408251 | 0 | | | ● |
| | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | | | |
| | 4-IN-1 LANCE INCL 0450 ALUMINUM HEAD | 106408255 | 0 | | | |
| **Tornado Nozzle with Indication Ring** | | | | | | |
| | NOZZLE 0350 INDICATION RING BORDEAUX | 101119736 | 1 | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Included accessories | | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 1 | | • | |
| | NOZZLE 0640 INDICATION RING GREEN | 101119745 | 1 | • | | |
| | TORNADO NOZZLE 0475 | 301150005 | 1 | | | |

• Standard equipment

| Included accessories | | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| **High Pressure Male Coupling** | | | | | | |
| | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | • | • | • |
| **High Pressure Hose, DN6** | | | | | | |
| | HOSE DN6 10M 1W FOR P-2 | 126528620 | 1 | • | • | • |
| | HP-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL | 101406176 | 0 | | | |
| **Spray Gun** | | | | | | |
| | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | • | • | • |
| **FlexoPower Lance** | | | | | | |
| | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | | • | • |
| **4-in-1 Lance** | | | | | | |
| | 4-IN-1 LANCE INCL 0350 ALUMINUM HEAD | 106408251 | 0 | • | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Included accessories | | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | | | |
| | 4-IN-1 LANCE INCL 0450 ALUMINUM HEAD | 106408255 | 0 | | | |
| **Tornado Nozzle with Indication Ring** | | | | | | |
| | NOZZLE 0350 INDICATION RING BORDEAUX | 101119736 | 1 | ● | | |
| | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 1 | | ● | ● |
| | NOZZLE 0640 INDICATION RING GREEN | 101119745 | 1 | | | |
| | TORNADO NOZZLE 0475 | 301150005 | 1 | | | |

● Standard equipment

| Included accessories | | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| **High Pressure Male Coupling** | | | | | |
| | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | ● | ● |
| **High Pressure Hose, DN6** | | | | | |
| | HOSE DN6 10M 1W FOR P-2 | 126528620 | 1 | ● | |
| | HP-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL | 101406176 | 0 | | ● |
| **Spray Gun** | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Included accessories | | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | • | • |
| **FlexoPower Lance** | | | | | |
| | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | | |
| **4-in-1 Lance** | | | | | |
| | 4-IN-1 LANCE INCL 0350 ALUMINUM HEAD | 106408251 | 0 | | • |
| | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | | |
| | 4-IN-1 LANCE INCL 0450 ALUMINUM HEAD | 106408255 | 0 | • | |
| **Tornado Nozzle with Indication Ring** | | | | | |
| | NOZZLE 0350 INDICATION RING BORDEAUX | 101119736 | 1 | | |
| | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 1 | | |
| | NOZZLE 0640 INDICATION RING GREEN | 101119745 | 1 | | |
| | TORNADO NOZZLE 0475 | 301150005 | 1 | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Model | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|
| Ref. no. | 128470135 | 128470136 | 128470137 |
| PRODUCT FEATURES | | | |
| Single-phase | • | • | • |
| Ergo accessory system | • | • | • |
| Stainless steel pistons | • | • | • |
| Hose reel | • | • | • |
| Compact design | • | • | • |
| Brass cylinder head | • | • | • |
| Ceramic coated pistons | | | |
| Automatic start/stop | • | • | • |
| Water flow regulation | • | • | |

| Model | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|
| Ref. no. | 128470138 | 128470140 | 128470141 |
| PRODUCT FEATURES | | | |
| Single-phase | • | • | • |
| Ergo accessory system | • | • | • |
| Stainless steel pistons | | | • |
| Hose reel | • | | |
| Compact design | • | • | • |
| Brass cylinder head | • | • | • |
| Ceramic coated pistons | • | • | |
| Automatic start/stop | • | • | • |
| Water flow regulation | • | • | |

| Model | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|
| Ref. no. | 128470142 | 128470144 | 128470180 |
| PRODUCT FEATURES | | | |
| Single-phase | • | • | • |
| Ergo accessory system | • | • | • |
| Stainless steel pistons | • | | • |
| Hose reel | | | |
| Compact design | • | • | • |
| Brass cylinder head | • | • | • |
| Ceramic coated pistons | | • | |
| Automatic start/stop | • | • | • |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Model | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|
| Ref. no. | 128470142 | 128470144 | 128470180 |
| PRODUCT FEATURES | | | |
| Water flow regulation | | | • |

| Model | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|
| Ref. no. | 128470250 | 128470451 | 128470755 |
| PRODUCT FEATURES | | | |
| Single-phase | • | • | • |
| Ergo accessory system | • | • | • |
| Stainless steel pistons | • | • | • |
| Hose reel | | | |
| Compact design | • | • | • |
| Brass cylinder head | • | • | • |
| Ceramic coated pistons | | | |
| Automatic start/stop | • | • | • |
| Water flow regulation | | • | |

| Model | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|
| Ref. no. | 128470758 | 128470823 |
| PRODUCT FEATURES | | |
| Single-phase | • | • |
| Ergo accessory system | • | • |
| Stainless steel pistons | • | • |
| Hose reel | • | • |
| Compact design | • | • |
| Brass cylinder head | • | • |
| Ceramic coated pistons | | |
| Automatic start/stop | • | • |
| Water flow regulation | | • |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Technical specifications | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|
| Pump pressure (bar/MPa) | 140/14 | 120/12 | 140/14 |
| Cleaning impact (kg/force) | 2.5 | 2.2 | 2.5 |
| Pump (RPM) | 2800 | 2800 | 2800 |
| Power consumption (kW) | 2.9 | 2.3 | 2.9 |
| Voltage/phase/frequency/current (V/~/HZ/A) | 230/1/50/12.6 | 230/1/50/10 | 230/1/50/12.6 |
| Water flow Qmax/Qiec (l/h) | 610/540 | 520/470 | 610/540 |
| El cable (m) | 5 | 5 | 5 |
| Detergent tank (l) | 2 | 2 | 2 |
| Nozzle size | .0370 | .0350 | .0370 |
| Max. inlet temperature (°C) | 60 | 60 | 60 |
| Ceramic coated pistons | | | |
| Stainless steel pistons | 3 | 3 | 3 |
| Length x width x height (mm) | 394x391x955 | 394x391x955 | 394x391x955 |
| Suction height - primed (m) | 0.5 | 0.5 | 0.5 |
| Weight (kg) | 28.1 | 28.1 | 28.1 |
| Recommended avg. hours of use per day | 1 | 1 | 1 |

| Technical specifications | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|
| Pump pressure (bar/MPa) | 150/15 | 150/15 | 52 |
| Cleaning impact (kg/force) | 2.9 | 2.9 | 1.6 |
| Pump (RPM) | 2800 | 2800 | 2800 |
| Power consumption (kW) | 3.3 | 3.3 | 1.3 |
| Voltage/phase/frequency/current (V/~/HZ/A) | 230/1/50/14.5 | 230/1/50/14.5 | 100/1/50/13 |
| Water flow Qmax/Qiec (l/h) | 650/570 | 650/570 | 525/500 |
| El cable (m) | 5 | 5 | 5 |
| Detergent tank (l) | 2 | 2 | 2 |
| Nozzle size | .0370 | .0370 | .640 |
| Max. inlet temperature (°C) | 60 | 60 | 60 |
| Ceramic coated pistons | 3 | 3 | |
| Stainless steel pistons | | | 3 |
| Length x width x height (mm) | 394x391x955 | 394x391x955 | 394x391x955 |
| Suction height - primed (m) | 0.5 | 0.5 | 0.5 |
| Weight (kg) | 28.1 | 26.3 | 26.3 |
| Recommended avg. hours of use per day | 1 | 1 | 1 |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Technical specifications | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|
| Pump pressure (bar/MPa) | 55 | 150/15 | 120/12 |
| Cleaning impact (kg/force) | 1.6 | 2.9 | 2.2 |
| Pump (RPM) | 3400 | 3400 | 2800 |
| Power consumption (kW) | 1.3 | 3.3 | 2.3 |
| Voltage/phase/frequency/current (V/~/HZ/A) | 100/1/60/14.2 | 220/1/60/15 | 230/1/50/10 |
| Water flow Qmax/Qiec (l/h) | 520/490 | 600/570 | 520/470 |
| El cable (m) | 5 | 5 | 5 |
| Detergent tank (l) | 2 | 2 | 2 |
| Nozzle size | .0640 | .0370 | .0350 |
| Max. inlet temperature (°C) | 60 | 60 | 60 |
| Ceramic coated pistons | | 3 | |
| Stainless steel pistons | 3 | | 3 |
| Length x width x height (mm) | 394x391x955 | 394x391x955 | 394x391x955 |
| Suction height - primed (m) | 0.5 | 0.5 | 0.5 |
| Weight (kg) | 26.3 | 26.3 | 27 |
| Recommended avg. hours of use per day | 1 | 1 | 1 |

| Technical specifications | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|
| Pump pressure (bar/MPa) | 120/12 | 140/14 | 150/15 |
| Cleaning impact (kg/force) | 2.2 | 2.5 | |
| Pump (RPM) | 2800 | 2800 | 2800 |
| Power consumption (kW) | 2.3 | 2.9 | 3.3 |
| Voltage/phase/frequency/current (V/~/HZ/A) | 230/1/50/10 | 230/1/50/12.6 | 230/1/50/14,5 |
| Water flow Qmax/Qiec (l/h) | 520/470 | 610/540 | 650/570 |
| El cable (m) | 5 | 5 | 5 |
| Detergent tank (l) | 2 | 2 | 2 |
| Nozzle size | .0350 | .0370 | .0370 |
| Max. inlet temperature (°C) | 60 | 60 | 60 |
| Ceramic coated pistons | | | |
| Stainless steel pistons | 3 | 3 | 3 |
| Length x width x height (mm) | 394x391x955 | 394x391x955 | 394x391x955 |
| Suction height - primed (m) | 0.5 | 0.5 | 0.5 |
| Weight (kg) | 27 | 28.1 | 26.7 |
| Recommended avg. hours of use per day | 1 | 1 | 1 |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Technical specifications | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|
| Pump pressure (bar/MPa) | 60/6 | 120/12 |
| Cleaning impact (kg/force) | | 2.2 |
| Pump (RPM) | 3400 | 2800 |
| Power consumption (kW) | 1.7 | 2.3 |
| Voltage/phase/frequency/current (V/~/HZ/A) | 115-127/1/60/14,5 | 230/1/50/10 |
| Water flow Qmax/Qiec (l/h) | 520/490 | 520/470 |
| El cable (m) | 5 | 5 |
| Detergent tank (l) | 2 | 2 |
| Nozzle size | .0475 | .0350 |
| Max. inlet temperature (°C) | 60 | 60 |
| Ceramic coated pistons | | |
| Stainless steel pistons | 3 | 3 |
| Length x width x height (mm) | 394x391x955 | 394x391x955 |
| Suction height - primed (m) | 0.5 | 0.5 |
| Weight (kg) | 29.6 | 28.1 |
| Recommended avg. hours of use per day | 1 | 1 |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| | Accessories | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| **Hose and Connection** | | | | | | |
| | GEKA HOSE COUPLING 1/2 | 1716 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE COMP. GARDENA | 106411177 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE COMP. GEKA | 106411179 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE COMP. NITO | 106411178 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE WO COUPLER | 106411184 | 0 | ○ | ○ | ○ |
| | WATER INLET HOSE 3/4 P/ | 6465 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| **High Pressure Male Coupling** | | | | | | |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 1 | ○ | ○ | ○ |
| | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ | ○ |
| | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | ● | ● | ● |
| | GARDENA COUPLING HOSE END 1/2 BULK | 1608629 | 1 | ○ | ○ | ○ |
| | GEKA COUPLING HOSE END 3/4 | 1311 | 1 | ○ | ○ | ○ |
| | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 1 | ○ | ○ | ○ |
| | NITO COUPLING HOSE END 1 | 1604669 | 1 | ○ | ○ | ○ |
| **High Pressure Female Coupling** | | | | | | |
| | ADAPTER KEW QUICK COUPLING FEMALE 3/8 | 66160 | 0 | ○ | ○ | ○ |
| | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 0 | ○ | ○ | ○ |
| | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 1 | ○ | ○ | ○ |
| | HOSE NOZZLE 20R3/4 | 61369 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| | QUICK COUPLING 3/4 W/GASKET | 1602945 | 1 | ○ | ○ | ○ |
| **Brush Washing** | | | | | | |
| | BRUSH INSERT | 10356 | 1 | ○ | ○ | ○ |
| | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 1 | ○ | ○ | ○ |
| | WASH BRUSH L1550 MM | 6400088 | 1 | ○ | ○ | ○ |
| | WASH BRUSH L2350 MM | 6400087 | 1 | ○ | ○ | ○ |
| **Special Nozzle** | | | | | | |
| | NOZZLE PROTECTION CAP PA | 18430 | 1 | ○ | ○ | ○ |
| **Drain and Pipe Cleaning** | | | | | | |
| | PIPE CLEANING HOSE 4X10M | 301002490 | 1 | ○ | ○ | ○ |
| | PIPE CLEANING HOSE 4X20M | 301002491 | 1 | ○ | ○ | ○ |
| | PIPE CLEANING HOSE 4X30M | 301002492 | 1 | ○ | ○ | ○ |
| | PIPE CLEANING NOZZLE 1/8INC IG DN4 | 46921 | 0 | ○ | ○ | ○ |
| | PIPE CLEANING NOZZLE SET 10M | 106403072 | 0 | ○ | ○ | ○ |
| | PIPE CLEANING NOZZLE SET 20M | 106403073 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| | PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN | 46918 | 0 | ○ | ○ | ○ |
| **TurboHammer Nozzle** | | | | | | |
| | TURBOHAMMER NOZZLE W12 035 | 49283 | 0 | | ○ | |
| | TURBOHAMMER NOZZLEHEAD W12 0370 | 106408221 | 0 | ○ | | ○ |
| **Detergent** | | | | | | |
| | ALTO ACTIVE WAX 10 L | 81177 | 1 | ○ | ○ | ○ |
| | ALTO RIMTOP 10 L | 80935 | 1 | ○ | ○ | ○ |
| **Filter Pressure Washer** | | | | | | |
| | CARTRIDGE FILTER REPLACEM. 50 uM | 1104041 | 1 | ○ | ○ | ○ |
| | SAND FILTER 50MICRON UNIVERSAL | 1604461 | 1 | ○ | ○ | ○ |
| | SUCTION FILTER WITH FOOTVALVE | 6400000 | 1 | ○ | ○ | ○ |
| | WATER FILTER 50uM 3/4INCH PN12 PA | 301000173 | 1 | ○ | ○ | ○ |
| | WATER FILTER COMPLETE | 107145802 | 0 | ○ | ○ | ○ |
| **Non Blacking High Pressure Hose, DN10** | | | | | | |
| | 20 M 2 WIRE HOSE 3/8 FOOD | 1401991 | 0 | ○ | ○ | ○ |
| | HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD | 6101767 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| | HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD | 1401983 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN10** | | | | | | |
| | 2 M 2 WIRE HOSE 3/8 DN10 | 1402924 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 1000 AGR-AGR | 1402916 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 3000 AGR-AGR | 1402932 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 10000 AGR-AGR | 6101766 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 15000 AGR-AGR | 1402064 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 20000 AGR-AGR | 1402072 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN8** | | | | | | |
| | 10 M 1 WIRE HOSE 5/16 DN8 | 1405569 | 0 | ○ | ○ | ○ |
| | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0 | ○ | ○ | ○ |
| | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | ○ | ○ | ○ |
| | HOSE DN8 20 M 1W - 3/8X3/8 | 1405666 | 0 | ○ | ○ | ○ |
| **Ergo System Coupling and Adapter** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| | COUPLING - FEMALE/Q-COUPL 3/8 INCH | 106402075 | 1 | ○ | ○ | ○ |
| | ERGO COUPLING KIT | 101119496 | 1 | ○ | ○ | ○ |
| | HIGH PRESSURE COUPLINGS KIT | 101119499 | 1 | ○ | ○ | ○ |
| | Nippel F. Q-COUPL. 3/8 INCH | 1600493 | 1 | ○ | ○ | ○ |
| | NIPPLE F/QUICK COULING 3/8 SS | 1603101 | 1 | ○ | ○ | ○ |
| | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 0 | ○ | ○ | ○ |
| | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ | ○ |
| **Brush Rotary** | | | | | | |
| | BRISTLE. LONG | 6401431 | 1 | ○ | ○ | ○ |
| | NYLON. BRISTLE FOR ROTARY | 6401432 | 1 | ○ | ○ | ○ |
| | ROTARY BRUSH 055 L800 MM | 6400018 | 0 | ○ | ○ | ○ |
| **Special Lance** | | | | | | |
| | CURVED LANCE L1090 MM | 6402016 | 1 | ○ | ○ | ○ |
| | LANCE SINGLE 1500MM W/O NOZZLE | 6401193 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| | UNDER CARRIAGE WASHER 40065 | 6400036 | 1 | ○ | ○ | ○ |
| **Hose Reel** | | | | | | |
| | CLEANING TROLLEY SS W/HOSE REEL FOAM IN | 6401094 | 0 | ○ | ○ | ○ |
| | HOSE REEL RETRACTABLE SS W/O HOSE | 106403168 | 0 | | | |
| | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 0 | | | |
| **Injector and Foam Sprayer** | | | | | | |
| | 02 INJECTOR COMPLETE | 6401246 | 1 | ○ | ○ | ○ |
| | DETERGENT BOTTLE 2.5 L | 107141635 | 0 | ○ | ○ | ○ |
| | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0 | ○ | ○ | ○ |
| | FOAM LANCE COMPLETE L600 MM | 6404368 | 1 | ○ | ○ | ○ |
| | FOAM LANCE COMPLETE L1200 MM | 6404369 | 1 | ○ | ○ | ○ |
| **High Pressure Hose, DN6** | | | | | | |
| | 10 M WIRE HOSE DN6 | 301002275 | 1 | | | |
| | HOSE DN6 10M 1W FOR P-2 | 126528620 | 1 | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| | HOSE DN6 15 M 1W - 3/8-QC | 6528613 | 0 | ○ | ○ | ○ |
| | HP HOSE DN6 15 FOR HW AND SWIVEL | 101117763 | 0 | ○ | ○ | ○ |
| | HP-HOSE DN6 15M 3/8-3/8 F. QUICK COUPL | 101406175 | 0 | | | |
| | HP-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL | 101406176 | 0 | ● | ● | ● |
| **Liquid Sprayer** | | | | | | |
| | LIQUID SPRAYER 5S | 7110005 | 0 | ○ | ○ | ○ |
| | LIQUID SPRAYER 20S | 7110020 | 0 | ○ | ○ | ○ |
| **Spray Gun** | | | | | | |
| | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | ● | ● | ● |
| | REP. KIT SWIVEL JOINT | 101119484 | 1 | ○ | ○ | ○ |
| | SIDE BAR COMPL. | 106402110 | 1 | ○ | ○ | ○ |
| | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 1 | ○ | ○ | ○ |
| **Tornado Nozzle with Indication Ring** | | | | | | |
| | NOZZLE 0340 INDICATION RING VIOLET | 101119735 | 0 | | ○ | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| | NOZZLE 0350 INDICATION RING BORDEAUX | 101119736 | 1 | | ○ | |
| | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 1 | ○ | | ○ |
| | NOZZLE 0640 INDICATION RING GREEN | 101119745 | 1 | | | |
| | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 0 | ○ | ○ | ○ |
| | TORNADO NOZZLE 0475 | 301150005 | 1 | | | |
| **Short Lance** | | | | | | |
| | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 1 | ○ | ○ | ○ |
| | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 1 | ○ | ○ | ○ |
| **FlexoPower Lance** | | | | | | |
| | FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 1 | ○ | ○ | ○ |
| | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ | ○ | ○ |
| | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 1 | ○ | ○ | ○ |
| | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0 | ○ | ○ | ○ |
| **TurboHammer Lance** | | | | | | |
| | TURBOHammer PLUS 1125 STRAIGHT W11 0500 | 106402291 | 0 | | | |
| | TURBOHAMMER PLUS 1125 STRAIGHT W11 0700 | 106402294 | 0 | | | |
| | TURBOHAMMER PLUS 1130 STRAIGHT W12 0350 | 106403001 | 1 | | ○ | |
| | TURBOHAMMER PLUS 1130 STRAIGHT W12 0500 | 106403003 | 1 | | | |
| **Tornado Lance** | | | | | | |
| | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 1 | ○ | ○ | ○ |
| | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 1 | ○ | ○ | ○ |
| | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 1 | ○ | ○ | ○ |
| | TORNADO PLUS 2080 BEND W/O NOZZLE | 106403012 | 1 | ○ | ○ | ○ |
| **Universal Lance** | | | | | | |
| | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT | 106403032 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT | 106403033 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT | 106403031 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT | 106403030 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ | 106403035 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 1 | ○ | ○ | ○ |
| **PowerSpeed Vario Lance** | | | | | | |
| | POWERSPEED VARIO PLUS 1090 BEND 0370 | 106403091 | 1 | ○ | | ○ |
| | POWERSPEED VARIO PLUS 1090 BEND 0640 | 106403095 | 0 | | | |
| **Abrasive Blasting** | | | | | | |
| | SIMPLE SAND BLASTING UNIT COMPLETE VSB | 301112493 | 1 | ○ | ○ | ○ |
| **4-in-1 Lance** | | | | | | |
| | 4-IN-1 LANCE INCL 0350 ALUMINUM HEAD | 106408251 | 0 | | ● | |
| | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | ● | | ● |
| | 4-IN-1 LANCE INCL 0450 ALUMINUM HEAD | 106408255 | 0 | | | |
| **Surface Cleaning Rotary** | | | | | | |
| | HYDROSCRUB P300 P+H | 106403187 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-140/610 XT EU | MC 2C-120/520 XT | MC 2C-140/610 XT UK |
|---|---|---|---|---|---|---|
| | HYDROSCRUB P400 W/O NOZZLES | 106403157 | 0 | ○ | ○ | ○ |
| | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0 | | | |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| **Hose and Connection** | | | | | | |
| | GEKA HOSE COUPLING 1/2 | 1716 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE COMP. GARDENA | 106411177 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE COMP. GEKA | 106411179 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE COMP. NITO | 106411178 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE WO COUPLER | 106411184 | 0 | ○ | ○ | ○ |
| | WATER INLET HOSE 3/4 P/ | 6465 | 0 | ○ | ○ | ○ |
| **High Pressure Male Coupling** | | | | | | |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 1 | ○ | ○ | ○ |
| | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ | ○ |
| | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | ● | ● | ● |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| | GARDENA COUPLING HOSE END 1/2 BULK | 1608629 | 1 | ○ | ○ | ○ |
| | GEKA COUPLING HOSE END 3/4 | 1311 | 1 | ○ | ○ | ○ |
| | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 1 | ○ | ○ | ○ |
| | NITO COUPLING HOSE END 1 | 1604669 | 1 | ○ | ○ | ○ |
| **High Pressure Female Coupling** | | | | | | |
| | ADAPTER KEW QUICK COUPLING FEMALE 3/8 | 66160 | 0 | ○ | ○ | ○ |
| | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 0 | ○ | ○ | ○ |
| | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 1 | ○ | ○ | ○ |
| | HOSE NOZZLE 20R3/4 | 61369 | 1 | ○ | ○ | ○ |
| | QUICK COUPLING 3/4 W/GASKET | 1602945 | 1 | ○ | ○ | ○ |
| **Brush Washing** | | | | | | |
| | BRUSH INSERT | 10356 | 1 | ○ | ○ | ○ |
| | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| | WASH BRUSH L1550 MM | 6400088 | 1 | ○ | ○ | ○ |
| | WASH BRUSH L2350 MM | 6400087 | 1 | ○ | ○ | ○ |
| **Special Nozzle** | | | | | | |
| | NOZZLE PROTECTION CAP PA | 18430 | 1 | ○ | ○ | ○ |
| **Drain and Pipe Cleaning** | | | | | | |
| | PIPE CLEANING HOSE 4X10M | 301002490 | 1 | ○ | ○ | ○ |
| | PIPE CLEANING HOSE 4X20M | 301002491 | 1 | ○ | ○ | ○ |
| | PIPE CLEANING HOSE 4X30M | 301002492 | 1 | ○ | ○ | ○ |
| | PIPE CLEANING NOZZLE 1/8INC IG DN4 | 46921 | 0 | ○ | ○ | ○ |
| | PIPE CLEANING NOZZLE SET 10M | 106403072 | 0 | ○ | ○ | ○ |
| | PIPE CLEANING NOZZLE SET 20M | 106403073 | 0 | ○ | ○ | ○ |
| | PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN | 46918 | 0 | ○ | ○ | ○ |
| **TurboHammer Nozzle** | | | | | | |
| | TURBOHAMMER NOZZLE W12 035 | 49283 | 0 | | | |
| | TURBOHAMMER NOZZLEHEAD W12 0370 | 106408221 | 0 | ○ | ○ | |
| **Detergent** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| | ALTO ACTIVE WAX 10 L | 81177 | 1 | ○ | ○ | ○ |
| | ALTO RIMTOP 10 L | 80935 | 1 | ○ | ○ | ○ |
| **Filter Pressure Washer** | | | | | | |
| | CARTRIDGE FILTER REPLACEM. 50 uM | 1104041 | 1 | ○ | ○ | ○ |
| | SAND FILTER 50MICRON UNIVERSAL | 1604461 | 1 | ○ | ○ | ○ |
| | SUCTION FILTER WITH FOOTVALVE | 6400000 | 1 | ○ | ○ | ○ |
| | WATER FILTER 50uM 3/4INCH PN12 PA | 301000173 | 1 | ○ | ○ | ○ |
| | WATER FILTER COMPLETE | 107145802 | 0 | ○ | ○ | ○ |
| **Non Blacking High Pressure Hose, DN10** | | | | | | |
| | 20 M 2 WIRE HOSE 3/8 FOOD | 1401991 | 0 | ○ | ○ | ○ |
| | HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD | 6101767 | 0 | ○ | ○ | ○ |
| | HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD | 1401983 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN10** | | | | | | |
| | 2 M 2 WIRE HOSE 3/8 DN10 | 1402924 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 1000 AGR-AGR | 1402916 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| | HP Hose DN10 3000 AGR-AGR | 1402932 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 10000 AGR-AGR | 6101766 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 15000 AGR-AGR | 1402064 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 20000 AGR-AGR | 1402072 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN8** | | | | | | |
| | 10 M 1 WIRE HOSE 5/16 DN8 | 1405569 | 0 | ○ | ○ | ○ |
| | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0 | ○ | ○ | ○ |
| | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | ○ | ○ | ○ |
| | HOSE DN8 20 M 1W - 3/8X3/8 | 1405666 | 0 | ○ | ○ | ○ |
| **Ergo System Coupling and Adapter** | | | | | | |
| | COUPLING - FEMALE/Q-COUPL 3/8 INCH | 106402075 | 1 | ○ | ○ | ○ |
| | ERGO COUPLING KIT | 101119496 | 1 | ○ | ○ | ○ |
| | HIGH PRESSURE COUPLINGS KIT | 101119499 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| | Nippel F. Q-COUPL. 3/8 INCH | 1600493 | 1 | ○ | ○ | ○ |
| | NIPPLE F/QUICK COULING 3/8 SS | 1603101 | 1 | ○ | ○ | ○ |
| | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 0 | ○ | ○ | ○ |
| | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ | ○ |
| **Brush Rotary** | | | | | | |
| | BRISTLE. LONG | 6401431 | 1 | ○ | ○ | ○ |
| | NYLON. BRISTLE FOR ROTARY | 6401432 | 1 | ○ | ○ | ○ |
| | ROTARY BRUSH 055 L800 MM | 6400018 | 0 | ○ | ○ | ○ |
| **Special Lance** | | | | | | |
| | CURVED LANCE L1090 MM | 6402016 | 1 | ○ | ○ | ○ |
| | LANCE SINGLE 1500MM W/O NOZZLE | 6401193 | 1 | ○ | ○ | ○ |
| | UNDER CARRIAGE WASHER 40065 | 6400036 | 1 | ○ | ○ | ○ |
| **Hose Reel** | | | | | | |
| | CLEANING TROLLEY SS W/HOSE REEL FOAM IN | 6401094 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| | HOSE REEL RETRACTABLE SS W/O HOSE | 106403168 | 0 | | ○ | ○ |
| | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 0 | | ○ | ○ |
| **Injector and Foam Sprayer** | | | | | | |
| | 02 INJECTOR COMPLETE | 6401246 | 1 | ○ | ○ | ○ |
| | DETERGENT BOTTLE 2.5 L | 107141635 | 0 | ○ | ○ | ○ |
| | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0 | ○ | ○ | ○ |
| | FOAM LANCE COMPLETE L600 MM | 6404368 | 1 | ○ | ○ | ○ |
| | FOAM LANCE COMPLETE L1200 MM | 6404369 | 1 | ○ | ○ | ○ |
| **High Pressure Hose, DN6** | | | | | | |
| | 10 M WIRE HOSE DN6 | 301002275 | 1 | | ○ | ○ |
| | HOSE DN6 10M 1W FOR P-2 | 126528620 | 1 | | ● | ● |
| | HOSE DN6 15 M 1W - 3/8-QC | 6528613 | 0 | ○ | | |
| | HP HOSE DN6 15 FOR HW AND SWIVEL | 101117763 | 0 | ○ | | |
| | HP-HOSE DN6 15M 3/8-3/8 F. QUICK COUPL | 101406175 | 0 | | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| | HP-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL | 101406176 | 0 | ● | | |
| **Liquid Sprayer** | | | | | | |
| | LIQUID SPRAYER 5S | 7110005 | 0 | ○ | ○ | ○ |
| | LIQUID SPRAYER 20S | 7110020 | 0 | ○ | ○ | ○ |
| **Spray Gun** | | | | | | |
| | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | ● | ● | ● |
| | REP. KIT SWIVEL JOINT | 101119484 | 1 | ○ | ○ | ○ |
| | SIDE BAR COMPL. | 106402110 | 1 | ○ | ○ | ○ |
| | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 1 | ○ | ○ | ○ |
| **Tornado Nozzle with Indication Ring** | | | | | | |
| | NOZZLE 0340 INDICATION RING VIOLET | 101119735 | 0 | | | |
| | NOZZLE 0350 INDICATION RING BORDEAUX | 101119736 | 1 | | | |
| | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 1 | ○ | ● | |
| | NOZZLE 0640 INDICATION RING GREEN | 101119745 | 1 | | | ● |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 0 | ○ | ○ | ○ |
| | TORNADO NOZZLE 0475 | 301150005 | 1 | | | |
| **Short Lance** | | | | | | |
| | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 1 | ○ | ○ | ○ |
| | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 1 | ○ | ○ | ○ |
| **FlexoPower Lance** | | | | | | |
| | FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 1 | ○ | ○ | ○ |
| | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ | ● | ● |
| | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 1 | ○ | ○ | ○ |
| | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ | ○ |
| | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0 | ○ | ○ | ○ |
| **TurboHammer Lance** | | | | | | |
| | TURBOHAMMER PLUS 1125 STRAIGHT W11 0500 | 106402291 | 0 | | | |
| | TURBOHAMMER PLUS 1125 STRAIGHT W11 0700 | 106402294 | 0 | | | ○ |
| | TURBOHAMMER PLUS 1130 STRAIGHT W12 0350 | 106403001 | 1 | | | |
| | TURBOHAMMER PLUS 1130 STRAIGHT W12 0500 | 106403003 | 1 | | | |
| **Tornado Lance** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 1 | ○ | ○ | ○ |
| | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 1 | ○ | ○ | ○ |
| | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 1 | ○ | ○ | ○ |
| | TORNADO PLUS 2080 BEND W/O NOZZLE | 106403012 | 1 | ○ | ○ | ○ |
| **Universal Lance** | | | | | | |
| | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT | 106403032 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT | 106403033 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT | 106403031 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT | 106403030 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ | 106403035 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 1 | ○ | ○ | ○ |
| **PowerSpeed Vario Lance** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-150/650 XT EU | MC 2C-150/650 EU | MC 2C-50/525 JP |
|---|---|---|---|---|---|---|
| | POWERSPEED VARIO PLUS 1090 BEND 0370 | 106403091 | 1 | ○ | ○ | |
| | POWERSPEED VARIO PLUS 1090 BEND 0640 | 106403095 | 0 | | | ○ |
| **Abrasive Blasting** | | | | | | |
| | SIMPLE SAND BLASTING UNIT COMPLETE VSB | 301112493 | 1 | ○ | ○ | ○ |
| **4-in-1 Lance** | | | | | | |
| | 4-IN-1 LANCE INCL 0350 ALUMINUM HEAD | 106408251 | 0 | | | |
| | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | ● | ○ | |
| | 4-IN-1 LANCE INCL 0450 ALUMINUM HEAD | 106408255 | 0 | | | |
| **Surface Cleaning Rotary** | | | | | | |
| | HYDROSCRUB P300 P+H | 106403187 | 0 | ○ | ○ | ○ |
| | HYDROSCRUB P400 W/O NOZZLES | 106403157 | 0 | ○ | ○ | ○ |
| | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0 | | | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| | Accessories | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| **Hose and Connection** | | | | | | |
| | GEKA HOSE COUPLING 1/2 | 1716 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE COMP. GARDENA | 106411177 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE COMP. GEKA | 106411179 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE COMP. NITO | 106411178 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE WO COUPLER | 106411184 | 0 | ○ | ○ | ○ |
| | WATER INLET HOSE 3/4 P/ | 6465 | 0 | ○ | ○ | ○ |
| **High Pressure Male Coupling** | | | | | | |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 1 | ○ | ○ | ○ |
| | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ | ○ |
| | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | ● | ● | ● |
| | GARDENA COUPLING HOSE END 1/2 BULK | 1608629 | 1 | ○ | ○ | ○ |
| | GEKA COUPLING HOSE END 3/4 | 1311 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 1 | ○ | ○ | ○ |
| | NITO COUPLING HOSE END 1 | 1604669 | 1 | ○ | ○ | ○ |
| **High Pressure Female Coupling** | | | | | | |
| | ADAPTER KEW QUICK COUPLING FEMALE 3/8 | 66160 | 0 | ○ | ○ | ○ |
| | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 0 | ○ | ○ | ○ |
| | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 1 | ○ | ○ | ○ |
| | HOSE NOZZLE 20R3/4 | 61369 | 1 | ○ | ○ | ○ |
| | QUICK COUPLING 3/4 W/GASKET | 1602945 | 1 | ○ | ○ | ○ |
| **Brush Washing** | | | | | | |
| | BRUSH INSERT | 10356 | 1 | ○ | ○ | ○ |
| | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 1 | ○ | ○ | ○ |
| | WASH BRUSH L1550 MM | 6400088 | 1 | ○ | ○ | ○ |
| | WASH BRUSH L2350 MM | 6400087 | 1 | ○ | ○ | ○ |
| **Special Nozzle** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| | NOZZLE PROTECTION CAP PA | 18430 | 1 | ○ | ○ | ○ |
| **Drain and Pipe Cleaning** | | | | | | |
| | PIPE CLEANING HOSE 4X10M | 301002490 | 1 | ○ | ○ | ○ |
| | PIPE CLEANING HOSE 4X20M | 301002491 | 1 | ○ | ○ | ○ |
| | PIPE CLEANING HOSE 4X30M | 301002492 | 1 | ○ | ○ | ○ |
| | PIPE CLEANING NOZZLE 1/8INC IG DN4 | 46921 | 0 | ○ | ○ | ○ |
| | PIPE CLEANING NOZZLE SET 10M | 106403072 | 0 | ○ | ○ | ○ |
| | PIPE CLEANING NOZZLE SET 20M | 106403073 | 0 | ○ | ○ | ○ |
| | PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN | 46918 | 0 | ○ | ○ | ○ |
| **TurboHammer Nozzle** | | | | | | |
| | TURBOHAMMER NOZZLE W12 035 | 49283 | 0 | | | ○ |
| | TURBOHAMMER NOZZLEHEAD W12 0370 | 106408221 | 0 | | ○ | |
| **Detergent** | | | | | | |
| | ALTO ACTIVE WAX 10 L | 81177 | 1 | ○ | ○ | ○ |
| | ALTO RIMTOP 10 L | 80935 | 1 | ○ | ○ | ○ |
| **Filter Pressure Washer** | | | | | | |
| | CARTRIDGE FILTER REPLACEM. 50 uM | 1104041 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| | SAND FILTER 50MICRON UNIVERSAL | 1604461 | 1 | ○ | ○ | ○ |
| | SUCTION FILTER WITH FOOTVALVE | 6400000 | 1 | ○ | ○ | ○ |
| | WATER FILTER 50uM 3/4INCH PN12 PA | 301000173 | 1 | ○ | ○ | ○ |
| | WATER FILTER COMPLETE | 107145802 | 0 | ○ | ○ | ○ |
| **Non Blacking High Pressure Hose, DN10** | | | | | | |
| | 20 M 2 WIRE HOSE 3/8 FOOD | 1401991 | 0 | ○ | ○ | ○ |
| | HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD | 6101767 | 0 | ○ | ○ | ○ |
| | HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD | 1401983 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN10** | | | | | | |
| | 2 M 2 WIRE HOSE 3/8 DN10 | 1402924 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 1000 AGR-AGR | 1402916 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 3000 AGR-AGR | 1402932 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 10000 AGR-AGR | 6101766 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| | HP Hose DN10 15000 AGR-AGR | 1402064 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 20000 AGR-AGR | 1402072 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN8** | | | | | | |
| | 10 M 1 WIRE HOSE 5/16 DN8 | 1405569 | 0 | ○ | ○ | ○ |
| | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0 | ○ | ○ | ○ |
| | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | ○ | ○ | ○ |
| | HOSE DN8 20 M 1W - 3/8X3/8 | 1405666 | 0 | ○ | ○ | ○ |
| **Ergo System Coupling and Adapter** | | | | | | |
| | COUPLING - FEMALE/Q-COUPL 3/8 INCH | 106402075 | 1 | ○ | ○ | ○ |
| | ERGO COUPLING KIT | 101119496 | 1 | ○ | ○ | ○ |
| | HIGH PRESSURE COUPLINGS KIT | 101119499 | 1 | ○ | ○ | ○ |
| | Nippel F. Q-COUPL. 3/8 INCH | 1600493 | 1 | ○ | ○ | ○ |
| | NIPPLE F/QUICK COULING 3/8 SS | 1603101 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 0 | ○ | ○ | ○ |
| | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ | ○ |
| **Brush Rotary** | | | | | | |
| | BRISTLE. LONG | 6401431 | 1 | ○ | ○ | ○ |
| | NYLON. BRISTLE FOR ROTARY | 6401432 | 1 | ○ | ○ | ○ |
| | ROTARY BRUSH 055 L800 MM | 6400018 | 0 | ○ | ○ | ○ |
| **Special Lance** | | | | | | |
| | CURVED LANCE L1090 MM | 6402016 | 1 | ○ | ○ | ○ |
| | LANCE SINGLE 1500MM W/O NOZZLE | 6401193 | 1 | ○ | ○ | ○ |
| | UNDER CARRIAGE WASHER 40065 | 6400036 | 1 | ○ | ○ | ○ |
| **Hose Reel** | | | | | | |
| | CLEANING TROLLEY SS W/HOSE REEL FOAM IN | 6401094 | 0 | ○ | ○ | ○ |
| | HOSE REEL RETRACTABLE SS W/O HOSE | 106403168 | 0 | ○ | ○ | ○ |
| | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 0 | ○ | ○ | ○ |
| **Injector and Foam Sprayer** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| | 02 INJECTOR COMPLETE | 6401246 | 1 | ○ | ○ | ○ |
| | DETERGENT BOTTLE 2.5 L | 107141635 | 0 | ○ | ○ | ○ |
| | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0 | ○ | ○ | ○ |
| | FOAM LANCE COMPLETE L600 MM | 6404368 | 1 | ○ | ○ | ○ |
| | FOAM LANCE COMPLETE L1200 MM | 6404369 | 1 | ○ | ○ | ○ |
| **High Pressure Hose, DN6** | | | | | | |
| | 10 M WIRE HOSE DN6 | 301002275 | 1 | ○ | ○ | ○ |
| | HOSE DN6 10M 1W FOR P-2 | 126528620 | 1 | ● | ● | ● |
| | HOSE DN6 15 M 1W - 3/8-QC | 6528613 | 0 | | | |
| | HP HOSE DN6 15 FOR HW AND SWIVEL | 101117763 | 0 | | | ○ |
| | HP-HOSE DN6 15M 3/8-3/8 F. QUICK COUPL | 101406175 | 0 | ○ | ○ | ○ |
| | HP-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL | 101406176 | 0 | | | |
| **Liquid Sprayer** | | | | | | |
| | LIQUID SPRAYER 5S | 7110005 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| | LIQUID SPRAYER 20S | 7110020 | 0 | ○ | ○ | ○ |
| **Spray Gun** | | | | | | |
| | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | ● | ● | ● |
| | REP. KIT SWIVEL JOINT | 101119484 | 1 | ○ | ○ | ○ |
| | SIDE BAR COMPL. | 106402110 | 1 | ○ | ○ | ○ |
| | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 1 | ○ | ○ | ○ |
| **Tornado Nozzle with Indication Ring** | | | | | | |
| | NOZZLE 0340 INDICATION RING VIOLET | 101119735 | 0 | | | ○ |
| | NOZZLE 0350 INDICATION RING BORDEAUX | 101119736 | 1 | | | ○ |
| | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 1 | | ● | |
| | NOZZLE 0640 INDICATION RING GREEN | 101119745 | 1 | ● | | |
| | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 0 | ○ | ○ | ○ |
| | TORNADO NOZZLE 0475 | 301150005 | 1 | | | |
| **Short Lance** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 1 | ○ | ○ | ○ |
| | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 1 | ○ | ○ | ○ |
| **FlexoPower Lance** | | | | | | |
| | FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 1 | ○ | ○ | ○ |
| | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ● | ● | ○ |
| | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 1 | ○ | ○ | ○ |
| | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ | ○ |
| | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0 | ○ | ○ | ○ |
| **TurboHammer Lance** | | | | | | |
| | TURBOHAMMER PLUS 1125 STRAIGHT W11 0500 | 106402291 | 0 | | | |
| | TURBOHAMMER PLUS 1125 STRAIGHT W11 0700 | 106402294 | 0 | ○ | | |
| | TURBOHAMMER PLUS 1130 STRAIGHT W12 0350 | 106403001 | 1 | | | ○ |
| | TURBOHAMMER PLUS 1130 STRAIGHT W12 0500 | 106403003 | 1 | | | |
| **Tornado Lance** | | | | | | |
| | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 1 | ○ | ○ | ○ |
| | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 1 | ○ | ○ | ○ |
| | TORNADO PLUS 2080 BEND W/O NOZZLE | 106403012 | 1 | ○ | ○ | ○ |
| **Universal Lance** | | | | | | |
| | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT | 106403032 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT | 106403033 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT | 106403031 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT | 106403030 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ | 106403035 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 1 | ○ | ○ | ○ |
| **PowerSpeed Vario Lance** | | | | | | |
| | POWERSPEED VARIO PLUS 1090 BEND 0370 | 106403091 | 1 | | ○ | |
| | POWERSPEED VARIO PLUS 1090 BEND 0640 | 106403095 | 0 | ○ | | |
| **Abrasive Blasting** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-50/525 JP | MC 2C-150/650 EXPT | MC 2C-120/520 T EU |
|---|---|---|---|---|---|---|
| | SIMPLE SAND BLASTING UNIT COMPLETE VSB | 301112493 | 1 | ○ | ○ | ○ |
| **4-in-1 Lance** | | | | | | |
| | 4-IN-1 LANCE INCL 0350 ALUMINUM HEAD | 106408251 | 0 | | | ● |
| | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | | ○ | |
| | 4-IN-1 LANCE INCL 0450 ALUMINUM HEAD | 106408255 | 0 | | | |
| **Surface Cleaning Rotary** | | | | | | |
| | HYDROSCRUB P300 P+H | 106403187 | 0 | ○ | ○ | ○ |
| | HYDROSCRUB P400 W/O NOZZLES | 106403157 | 0 | ○ | ○ | ○ |
| | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0 | ○ | | |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| | Accessories | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| **Hose and Connection** | | | | | | |
| | GEKA HOSE COUPLING 1/2 | 1716 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE COMP. GARDENA | 106411177 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE COMP. GEKA | 106411179 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| | NILFISK BA VALVE COMP. NITO | 106411178 | 0 | ○ | ○ | ○ |
| | NILFISK BA VALVE WO COUPLER | 106411184 | 0 | ○ | ○ | ○ |
| | WATER INLET HOSE 3/4 P/ | 6465 | 0 | ○ | ○ | ○ |
| **High Pressure Male Coupling** | | | | | | |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 1 | ○ | ○ | ○ |
| | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ | ○ |
| | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | ● | ● | ● |
| | GARDENA COUPLING HOSE END 1/2 BULK | 1608629 | 1 | ○ | ○ | ○ |
| | GEKA COUPLING HOSE END 3/4 | 1311 | 1 | ○ | ○ | ○ |
| | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 1 | ○ | ○ | ○ |
| | NITO COUPLING HOSE END 1 | 1604669 | 1 | ○ | ○ | ○ |
| **High Pressure Female Coupling** | | | | | | |
| | ADAPTER KEW QUICK COUPLING FEMALE 3/8 | 66160 | 0 | ○ | ○ | ○ |
| | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 1 | ○ | ○ | ○ |
| | HOSE NOZZLE 20R3/4 | 61369 | 1 | ○ | ○ | ○ |
| | QUICK COUPLING 3/4 W/GASKET | 1602945 | 1 | ○ | ○ | ○ |
| **Brush Washing** | | | | | | |
| | BRUSH INSERT | 10356 | 1 | ○ | ○ | ○ |
| | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 1 | ○ | ○ | ○ |
| | WASH BRUSH L1550 MM | 6400088 | 1 | ○ | ○ | ○ |
| | WASH BRUSH L2350 MM | 6400087 | 1 | ○ | ○ | ○ |
| **Special Nozzle** | | | | | | |
| | NOZZLE PROTECTION CAP PA | 18430 | 1 | ○ | ○ | ○ |
| **Drain and Pipe Cleaning** | | | | | | |
| | PIPE CLEANING HOSE 4X10M | 301002490 | 1 | ○ | ○ | ○ |
| | PIPE CLEANING HOSE 4X20M | 301002491 | 1 | ○ | ○ | ○ |
| | PIPE CLEANING HOSE 4X30M | 301002492 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| | PIPE CLEANING NOZZLE 1/8INC IG DN4 | 46921 | 0 | ○ | ○ | ○ |
| | PIPE CLEANING NOZZLE SET 10M | 106403072 | 0 | ○ | ○ | ○ |
| | PIPE CLEANING NOZZLE SET 20M | 106403073 | 0 | ○ | ○ | ○ |
| | PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN | 46918 | 0 | ○ | ○ | ○ |
| **TurboHammer Nozzle** | | | | | | |
| | TURBOHAMMER NOZZLE W12 035 | 49283 | 0 | ○ | | |
| | TURBOHAMMER NOZZLEHEAD W12 0370 | 106408221 | 0 | | ○ | ○ |
| **Detergent** | | | | | | |
| | ALTO ACTIVE WAX 10 L | 81177 | 1 | ○ | ○ | ○ |
| | ALTO RIMTOP 10 L | 80935 | 1 | ○ | ○ | ○ |
| **Filter Pressure Washer** | | | | | | |
| | CARTRIDGE FILTER REPLACEM. 50 uM | 1104041 | 1 | ○ | ○ | ○ |
| | SAND FILTER 50MICRON UNIVERSAL | 1604461 | 1 | ○ | ○ | ○ |
| | SUCTION FILTER WITH FOOTVALVE | 6400000 | 1 | ○ | ○ | ○ |
| | WATER FILTER 50uM 3/4INCH PN12 PA | 301000173 | 1 | ○ | ○ | ○ |
| | WATER FILTER COMPLETE | 107145802 | 0 | ○ | ○ | ○ |
| **Non Blacking High Pressure Hose, DN10** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| | 20 M 2 WIRE HOSE 3/8 FOOD | 1401991 | 0 | ○ | ○ | ○ |
| | HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD | 6101767 | 0 | ○ | ○ | ○ |
| | HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD | 1401983 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN10** | | | | | | |
| | 2 M 2 WIRE HOSE 3/8 DN10 | 1402924 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 1000 AGR-AGR | 1402916 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 3000 AGR-AGR | 1402932 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 10000 AGR-AGR | 6101766 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 15000 AGR-AGR | 1402064 | 0 | ○ | ○ | ○ |
| | HP Hose DN10 20000 AGR-AGR | 1402072 | 0 | ○ | ○ | ○ |
| **High Pressure Hose, DN8** | | | | | | |
| | 10 M 1 WIRE HOSE 5/16 DN8 | 1405569 | 0 | ○ | ○ | ○ |
| | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | ○ | ○ | ○ |
| | HOSE DN8 20 M 1W - 3/8X3/8 | 1405666 | 0 | ○ | ○ | ○ |
| **Ergo System Coupling and Adapter** | | | | | | |
| | COUPLING - FEMALE/Q-COUPL 3/8 INCH | 106402075 | 1 | ○ | ○ | ○ |
| | ERGO COUPLING KIT | 101119496 | 1 | ○ | ○ | ○ |
| | HIGH PRESSURE COUPLINGS KIT | 101119499 | 1 | ○ | ○ | ○ |
| | Nippel F. Q-COUPL. 3/8 INCH | 1600493 | 1 | ○ | ○ | ○ |
| | NIPPLE F/QUICK COULING 3/8 SS | 1603101 | 1 | ○ | ○ | ○ |
| | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 0 | ○ | ○ | ○ |
| | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ | ○ |
| **Brush Rotary** | | | | | | |
| | BRISTLE. LONG | 6401431 | 1 | ○ | ○ | ○ |
| | NYLON. BRISTLE FOR ROTARY | 6401432 | 1 | ○ | ○ | ○ |
| | ROTARY BRUSH 055 L800 MM | 6400018 | 0 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| **Special Lance** | | | | | | |
| | CURVED LANCE L1090 MM | 6402016 | 1 | ○ | ○ | ○ |
| | LANCE SINGLE 1500MM W/O NOZZLE | 6401193 | 1 | ○ | ○ | ○ |
| | UNDER CARRIAGE WASHER 40065 | 6400036 | 1 | ○ | ○ | ○ |
| **Hose Reel** | | | | | | |
| | CLEANING TROLLEY SS W/HOSE REEL FOAM IN | 6401094 | 0 | ○ | ○ | ○ |
| | HOSE REEL RETRACTABLE SS W/O HOSE | 106403168 | 0 | ○ | | ○ |
| | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 0 | ○ | ○ | ○ |
| **Injector and Foam Sprayer** | | | | | | |
| | 02 INJECTOR COMPLETE | 6401246 | 1 | ○ | ○ | ○ |
| | DETERGENT BOTTLE 2.5 L | 107141635 | 0 | ○ | ○ | ○ |
| | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0 | ○ | ○ | ○ |
| | FOAM LANCE COMPLETE L600 MM | 6404368 | 1 | ○ | ○ | ○ |
| | FOAM LANCE COMPLETE L1200 MM | 6404369 | 1 | ○ | ○ | ○ |
| **High Pressure Hose, DN6** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| | 10 M WIRE HOSE DN6 | 301002275 | 1 | ○ | ○ | ○ |
| | HOSE DN6 10M 1W FOR P-2 | 126528620 | 1 | ● | ● | ● |
| | HOSE DN6 15 M 1W - 3/8-QC | 6528613 | 0 | | | |
| | HP HOSE DN6 15 FOR HW AND SWIVEL | 101117763 | 0 | ○ | | |
| | HP-HOSE DN6 15M 3/8-3/8 F. QUICK COUPL | 101406175 | 0 | ○ | ○ | ○ |
| | HP-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL | 101406176 | 0 | | | |
| **Liquid Sprayer** | | | | | | |
| | LIQUID SPRAYER 5S | 7110005 | 0 | ○ | ○ | ○ |
| | LIQUID SPRAYER 20S | 7110020 | 0 | ○ | ○ | ○ |
| **Spray Gun** | | | | | | |
| | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | ● | ● | ● |
| | REP. KIT SWIVEL JOINT | 101119484 | 1 | ○ | ○ | ○ |
| | SIDE BAR COMPL. | 106402110 | 1 | ○ | ○ | ○ |
| | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| **Tornado Nozzle with Indication Ring** | | | | | | |
| | NOZZLE 0340 INDICATION RING VIOLET | 101119735 | 0 | ○ | | |
| | NOZZLE 0350 INDICATION RING BORDEAUX | 101119736 | 1 | ● | | |
| | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 1 | | ● | ● |
| | NOZZLE 0640 INDICATION RING GREEN | 101119745 | 1 | | | |
| | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 0 | ○ | ○ | ○ |
| | TORNADO NOZZLE 0475 | 301150005 | 1 | | | |
| **Short Lance** | | | | | | |
| | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 1 | ○ | ○ | ○ |
| | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 1 | ○ | ○ | ○ |
| **FlexoPower Lance** | | | | | | |
| | FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 1 | ○ | ○ | ○ |
| | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ | ● | ● |
| | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ | ○ |
| | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0 | ○ | ○ | ○ |
| **TurboHammer Lance** | | | | | | |
| | TURBOHammer PLUS 1125 STRAIGHT W11 0500 | 106402291 | 0 | | | |
| | TURBOHammer PLUS 1125 STRAIGHT W11 0700 | 106402294 | 0 | | | |
| | TURBOHammer PLUS 1130 STRAIGHT W12 0350 | 106403001 | 1 | ○ | | |
| | TURBOHammer PLUS 1130 STRAIGHT W12 0500 | 106403003 | 1 | | | |
| **Tornado Lance** | | | | | | |
| | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 1 | ○ | ○ | ○ |
| | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 1 | ○ | ○ | ○ |
| | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 1 | ○ | ○ | ○ |
| | TORNADO PLUS 2080 BEND W/O NOZZLE | 106403012 | 1 | ○ | ○ | ○ |
| **Universal Lance** | | | | | | |
| | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT | 106403032 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT | 106403033 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT | 106403031 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT | 106403030 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ | 106403035 | 1 | ○ | ○ | ○ |
| | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 1 | ○ | ○ | ○ |
| **PowerSpeed Vario Lance** | | | | | | |
| | POWERSPEED VARIO PLUS 1090 BEND 0370 | 106403091 | 1 | | ○ | ○ |
| | POWERSPEED VARIO PLUS 1090 BEND 0640 | 106403095 | 0 | | | |
| **Abrasive Blasting** | | | | | | |
| | SIMPLE SAND BLASTING UNIT COMPLETE VSB | 301112493 | 1 | ○ | ○ | ○ |
| **4-in-1 Lance** | | | | | | |
| | 4-IN-1 LANCE INCL 0350 ALUMINUM HEAD | 106408251 | 0 | • | | |
| | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | | ○ | ○ |
| | 4-IN-1 LANCE INCL 0450 ALUMINUM HEAD | 106408255 | 0 | | | |
| **Surface Cleaning Rotary** | | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-120/520 T UK | MC 2C-140/610 P EU | MC 2C-150/600 |
|---|---|---|---|---|---|---|
| | HYDROSCRUB P300 P+H | 106403187 | 0 | ○ | ○ | ○ |
| | HYDROSCRUB P400 W/O NOZZLES | 106403157 | 0 | ○ | ○ | ○ |
| | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0 | | | |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| **Hose and Connection** | | | | | |
| | GEKA HOSE COUPLING 1/2 | 1716 | 0 | ○ | ○ |
| | NILFISK BA VALVE COMP. GARDENA | 106411177 | 0 | ○ | ○ |
| | NILFISK BA VALVE COMP. GEKA | 106411179 | 0 | ○ | ○ |
| | NILFISK BA VALVE COMP. NITO | 106411178 | 0 | ○ | ○ |
| | NILFISK BA VALVE WO COUPLER | 106411184 | 0 | ○ | ○ |
| | WATER INLET HOSE 3/4 P/ | 6465 | 0 | ○ | ○ |
| **High Pressure Male Coupling** | | | | | |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 1 | ○ | ○ |
| | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| | GARDENA COMPATIBLE MALE 3/4" ACCESSORY | 106404529 | 0 | ● | ● |
| | GARDENA COUPLING HOSE END 1/2 BULK | 1608629 | 1 | ○ | ○ |
| | GEKA COUPLING HOSE END 3/4 | 1311 | 1 | ○ | ○ |
| | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 1 | ○ | ○ |
| | NITO COUPLING HOSE END 1 | 1604669 | 1 | ○ | ○ |
| **High Pressure Female Coupling** | | | | | |
| | ADAPTER KEW QUICK COUPLING FEMALE 3/8 | 66160 | 0 | ○ | ○ |
| | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 0 | ○ | ○ |
| | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 1 | ○ | ○ |
| | HOSE NOZZLE 20R3/4 | 61369 | 1 | ○ | ○ |
| | QUICK COUPLING 3/4 W/GASKET | 1602945 | 1 | ○ | ○ |
| **Brush Washing** | | | | | |
| | BRUSH INSERT | 10356 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 1 | ○ | ○ |
| | WASH BRUSH L1550 MM | 6400088 | 1 | ○ | ○ |
| | WASH BRUSH L2350 MM | 6400087 | 1 | ○ | ○ |
| **Special Nozzle** | | | | | |
| | NOZZLE PROTECTION CAP PA | 18430 | 1 | ○ | ○ |
| **Drain and Pipe Cleaning** | | | | | |
| | PIPE CLEANING HOSE 4X10M | 301002490 | 1 | ○ | ○ |
| | PIPE CLEANING HOSE 4X20M | 301002491 | 1 | ○ | ○ |
| | PIPE CLEANING HOSE 4X30M | 301002492 | 1 | ○ | ○ |
| | PIPE CLEANING NOZZLE 1/8INC IG DN4 | 46921 | 0 | ○ | ○ |
| | PIPE CLEANING NOZZLE SET 10M | 106403072 | 0 | ○ | ○ |
| | PIPE CLEANING NOZZLE SET 20M | 106403073 | 0 | ○ | ○ |
| | PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN | 46918 | 0 | ○ | ○ |
| **TurboHammer Nozzle** | | | | | |
| | TURBOHAMMER NOZZLE W12 035 | 49283 | 0 | | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| | TURBOHAMMER NOZZLEHEAD W12 0370 | 106408221 | 0 | ○ | |
| **Detergent** | | | | | |
| | ALTO ACTIVE WAX 10 L | 81177 | 1 | ○ | ○ |
| | ALTO RIMTOP 10 L | 80935 | 1 | ○ | ○ |
| **Filter Pressure Washer** | | | | | |
| | CARTRIDGE FILTER REPLACEM. 50 uM | 1104041 | 1 | ○ | ○ |
| | SAND FILTER 50MICRON UNIVERSAL | 1604461 | 1 | ○ | ○ |
| | SUCTION FILTER WITH FOOTVALVE | 6400000 | 1 | ○ | ○ |
| | WATER FILTER 50uM 3/4INCH PN12 PA | 301000173 | 1 | ○ | ○ |
| | WATER FILTER COMPLETE | 107145802 | 0 | ○ | ○ |
| **Non Blacking High Pressure Hose, DN10** | | | | | |
| | 20 M 2 WIRE HOSE 3/8 FOOD | 1401991 | 0 | ○ | ○ |
| | HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD | 6101767 | 0 | ○ | ○ |
| | HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD | 1401983 | 0 | ○ | ○ |
| **High Pressure Hose, DN10** | | | | | |
| | 2 M 2 WIRE HOSE 3/8 DN10 | 1402924 | 0 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| | HP Hose DN10 1000 AGR-AGR | 1402916 | 0 | ○ | ○ |
| | HP Hose DN10 3000 AGR-AGR | 1402932 | 0 | ○ | ○ |
| | HP Hose DN10 10000 AGR-AGR | 6101766 | 0 | ○ | ○ |
| | HP Hose DN10 15000 AGR-AGR | 1402064 | 0 | ○ | ○ |
| | HP Hose DN10 20000 AGR-AGR | 1402072 | 0 | ○ | ○ |
| **High Pressure Hose, DN8** | | | | | |
| | 10 M 1 WIRE HOSE 5/16 DN8 | 1405569 | 0 | ○ | ○ |
| | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0 | ○ | ○ |
| | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | ○ | ○ |
| | HOSE DN8 20 M 1W - 3/8X3/8 | 1405666 | 0 | ○ | ○ |
| **Ergo System Coupling and Adapter** | | | | | |
| | COUPLING - FEMALE/Q-COUPL 3/8 INCH | 106402075 | 1 | ○ | ○ |
| | ERGO COUPLING KIT | 101119496 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| | HIGH PRESSURE COUPLINGS KIT | 101119499 | 1 | ○ | ○ |
| | Nippel F. Q-COUPL. 3/8 INCH | 1600493 | 1 | ○ | ○ |
| | NIPPLE F/QUICK COULING 3/8 SS | 1603101 | 1 | ○ | ○ |
| | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 0 | ○ | ○ |
| | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ |
| **Brush Rotary** | | | | | |
| | BRISTLE. LONG | 6401431 | 1 | ○ | ○ |
| | NYLON. BRISTLE FOR ROTARY | 6401432 | 1 | ○ | ○ |
| | ROTARY BRUSH 055 L800 MM | 6400018 | 0 | ○ | ○ |
| **Special Lance** | | | | | |
| | CURVED LANCE L1090 MM | 6402016 | 1 | ○ | ○ |
| | LANCE SINGLE 1500MM W/O NOZZLE | 6401193 | 1 | ○ | ○ |
| | UNDER CARRIAGE WASHER 40065 | 6400036 | 1 | ○ | ○ |
| **Hose Reel** | | | | | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| | CLEANING TROLLEY SS W/HOSE REEL FOAM IN | 6401094 | 0 | ○ | ○ |
| | HOSE REEL RETRACTABLE SS W/O HOSE | 106403168 | 0 | ○ | |
| | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 0 | ○ | |
| **Injector and Foam Sprayer** | | | | | |
| | 02 INJECTOR COMPLETE | 6401246 | 1 | ○ | ○ |
| | DETERGENT BOTTLE 2.5 L | 107141635 | 0 | ○ | ○ |
| | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0 | ○ | ○ |
| | FOAM LANCE COMPLETE L600 MM | 6404368 | 1 | ○ | ○ |
| | FOAM LANCE COMPLETE L1200 MM | 6404369 | 1 | ○ | ○ |
| **High Pressure Hose, DN6** | | | | | |
| | 10 M WIRE HOSE DN6 | 301002275 | 1 | ○ | |
| | HOSE DN6 10M 1W FOR P-2 | 126528620 | 1 | ● | |
| | HOSE DN6 15 M 1W - 3/8-QC | 6528613 | 0 | | ○ |
| | HP HOSE DN6 15 FOR HW AND SWIVEL | 101117763 | 0 | | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| | HP-HOSE DN6 15M 3/8-3/8 F. QUICK COUPL | 101406175 | 0 | ○ | |
| | HP-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL | 101406176 | 0 | | ● |
| **Liquid Sprayer** | | | | | |
| | LIQUID SPRAYER 5S | 7110005 | 0 | ○ | ○ |
| | LIQUID SPRAYER 20S | 7110020 | 0 | ○ | ○ |
| **Spray Gun** | | | | | |
| | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | ● | ● |
| | REP. KIT SWIVEL JOINT | 101119484 | 1 | ○ | ○ |
| | SIDE BAR COMPL. | 106402110 | 1 | ○ | ○ |
| | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 1 | ○ | ○ |
| **Tornado Nozzle with Indication Ring** | | | | | |
| | NOZZLE 0340 INDICATION RING VIOLET | 101119735 | 0 | | ○ |
| | NOZZLE 0350 INDICATION RING BORDEAUX | 101119736 | 1 | | ○ |
| | NOZZLE 0370 INDICATION RING BRONZE | 101119737 | 1 | ○ | |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| | NOZZLE 0640 INDICATION RING GREEN | 101119745 | 1 | | |
| | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 0 | ○ | ○ |
| | TORNADO NOZZLE 0475 | 301150005 | 1 | | |
| **Short Lance** | | | | | |
| | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 1 | ○ | ○ |
| | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 1 | ○ | ○ |
| **FlexoPower Lance** | | | | | |
| | FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 1 | ○ | ○ |
| | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ | ○ |
| | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 1 | ○ | ○ |
| | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ |
| | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0 | ○ | ○ |
| **TurboHammer Lance** | | | | | |
| | TURBOHAMMER PLUS 1125 STRAIGHT W11 0500 | 106402291 | 0 | | |
| | TURBOHAMMER PLUS 1125 STRAIGHT W11 0700 | 106402294 | 0 | | |
| | TURBOHAMMER PLUS 1130 STRAIGHT W12 0350 | 106403001 | 1 | | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| Accessories | | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| | TURBOHAMMER PLUS 1130 STRAIGHT W12 0500 | 106403003 | 1 | | |
| **Tornado Lance** | | | | | |
| | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 1 | ○ | ○ |
| | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 1 | ○ | ○ |
| | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 1 | ○ | ○ |
| | TORNADO PLUS 2080 BEND W/O NOZZLE | 106403012 | 1 | ○ | ○ |
| **Universal Lance** | | | | | |
| | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT | 106403032 | 1 | ○ | ○ |
| | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT | 106403033 | 1 | ○ | ○ |
| | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT | 106403031 | 1 | ○ | ○ |
| | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT | 106403030 | 1 | ○ | ○ |
| | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 1 | ○ | ○ |
| | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ | 106403035 | 1 | ○ | ○ |
| | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Ideal cold water cleaning for everyday tasks

| | Accessories | Ref. no. | Min. required | MC 2C-80/520 T MEX | MC 2C-120/520 XT CH |
|---|---|---|---|---|---|
| **PowerSpeed Vario Lance** | | | | | |
| | POWERSPEED VARIO PLUS 1090 BEND 0370 | 106403091 | 1 | ○ | |
| | POWERSPEED VARIO PLUS 1090 BEND 0640 | 106403095 | 0 | | |
| **Abrasive Blasting** | | | | | |
| | SIMPLE SAND BLASTING UNIT COMPLETE VSB | 301112493 | 1 | ○ | ○ |
| **4-in-1 Lance** | | | | | |
| | 4-IN-1 LANCE INCL 0350 ALUMINUM HEAD | 106408251 | 0 | | ● |
| | 4-IN-1 LANCE INCL 0370 ALUMINUM HEAD | 106408252 | 0 | ○ | |
| | 4-IN-1 LANCE INCL 0450 ALUMINUM HEAD | 106408255 | 0 | ● | |
| **Surface Cleaning Rotary** | | | | | |
| | HYDROSCRUB P300 P+H | 106403187 | 0 | ○ | ○ |
| | HYDROSCRUB P400 W/O NOZZLES | 106403157 | 0 | ○ | ○ |
| | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0 | | |

All information provided in this document is subject to change without prior notice